

How to add host to monitoring system

1. Add ssh key to root account on host to scan (file: `.ssh/authorized_keys`)

SSH public key

```
ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQDSSf1LaTMGgJdk/1wxbts0yM9Qp9ysx1LnBHGEom+TtYP2
+0n59cyDNZbnjZSKWRU4ikU8N+Khq0jmvvgzyIUbp217V0zyoIWMRm+qxjqu1UpLGc9VCC0gEmtj
YMQrXzZ5KVvP4SmhfDr3J6S5MTqJGH0YM9s12B2QKK8+m7oq0+nsmrn0oLFh/HJw0QF43fnmq+2+
Xzrs89ZJ02GL5V0ZRwb8A60/lbh6o4ZpMgGbUsa0NzA0lfhNo3lMjg83pLF/gz0fZ5IDcnehu1Ml
IMNqmc+CilQbjqAYVCGabhvADGa2SAW7cikM9R+5fkeB7v29FSPiBDK0jlQ7Fah5JVd
zabbix@secscan-fra1-01
```

2. Login to [Zabbix](#) as Admin and add host IP address in Discovery service
3. Wait for test results

From:
<https://secscan.acron.pl/> - **SecScan**

Permanent link:
<https://secscan.acron.pl/zabbix>

Last update: **2017/05/06 19:57**

